

ESD 1210 SMC SF

SAFETY SHOE EN ISO 20345:2011 S1P SRC M  
SIZES: 36 - 50 (225 - 322) | FITTING OPTIONS: NB, XB (S, XXB)



- S1P

PROTECTION CLASS S1P  
according EN ISO 20345,  
additional puncture resistance
- AL

ALUMINIUM TOE CAP  
Toe cap made of aluminium
- SC

SECURA META COVER (SMC)  
Flexible metatarsal protection
- DGUV 191

INSOLE TREATMENT  
tested according to  
DGUV Rule 112-191
- 4

ORIGINAL STEITZ MULTI-WIDTH SYSTEM  
4 different widths per shoe size
- SF

TEXTILE PUNCTURE RESISTANCE  
highly flexible, metal free  
puncture resistance
- ESD

Protection against electrostatic  
discharge



FEATURES

+ Ultra-lightweight microfibre combined with large surface ventilation for a pleasant climate inside the shoe

+ Metatarsal protection SECURA META COVER

+ Functional lining made of breathable textile and microfibre

+ Full-length, removable comfort insole ERGO-SOFT ESD with cushioning system and excellent moisture transportation

OUTSOLE

TPU Athletic ESD, silvergrey

+ Outsole with a profile of 3,5 mm


+ With increased protection against twisted ankles, reduced lever arms

+ Supports the natural movement

+ Light and flexible

+ Very good scuff resistance and anti-slip properties

+ Heat-resistant up to approx. 120 °C



CUSHIONING

Multiflex® Technology

Lever arms of the shoe force the foot to make unnatural movements and can lead to foot and Achilles tendon complaints, knee pain and back problems. Furthermore, lever arm forces can increase the risk of injuries such as sprained ankles. Lever arm reduced shoes are characterized by lower heel heights, increased insertion depth, softer material and lesser thickness of the sole, which is rounded in the peripheral areas. A result of the Multiflex® technology is the multiflexible outsole.

