

VD 3805 BOA SST SF

COMFORT BOOT EN ISO 20347:2012 O3 FO SRC CI HRO
SIZES: 36 - 50 (225 - 322) | FITTING OPTIONS: NB, XB (S, XXB)



03 PROTECTION CLASS O3
according EN ISO 20347

SF TEXTILE PUNCTURE RESISTANCE
highly flexible, metal free
puncture resistance

DGUV 191 INSOLE TREATMENT
tested according to
DGUV Rule 112-191

4 ORIGINAL STEITZ MULTI-WIDTH SYSTEM
4 different widths per shoe size

ESD Protection against electrostatic
discharge

BOA BOA® FIT SYSTEM
for a fast, effortless, precision fit.



FEATURES

- + Ultralight, smooth microfibre
- + Comfortable fit due to seamless shoe design
- + BOA® Fit System
- + Reinforced, abrasion-resistant toe guard
- + Dust guard tongue
- + Cushioned collar for additional comfort
- + Without toe cap
- + Functional lining made of breathable textile and microfibre
- + Full-length, removable comfort insole ERGO-SOFT ESD with cushioning system and excellent moisture transportation

OUTSOLE

- Perbunan Athletic ESD, slategrey**
- + Outsole with a profile of 3,8 mm
 - + Light and flexible with tailored arch support
 - + Flexion zone with pivot point
 - + Cushioning structure in the heel area
 - + Best possible scuff resistance and anti-slip properties
 - + Heat-resistant up to approx. 220 °C



CUSHIONING

Multiflex® Technology

Lever arms of the shoe force the foot to make unnatural movements and can lead to foot and Achilles tendon complaints, knee pain and back problems. Furthermore, lever arm forces can increase the risk of injuries such as sprained ankles. Lever arm reduced shoes are characterized by lower heel heights, increased insertion depth, softer material and lesser thickness of the sole, which is rounded in the peripheral areas. A result of the Multiflex® technology is the multiflexible outsole.

